

CATALOGUE

2024/2025





Table of Contents

Traffic Cones	4
Cone Bars, T-Tops and Flexi Bollards, Bunting Flags & Chains	5
Multi-Message Frame and Sand Bag	6
Quad Stands, Barrier Boards	6
Stop/Slow Bat	7
Tornado Guide Posts	7
RHS – 76x38 & FRP- RHS – 76x38	8
Round Steel Posts	8
FRP Round Posts	9
ARC Brackets & TD1A/TD2A	9
Bolts, Washers & Wedges	10
L Bracket & Catsby Bracket & UR251	10
Grab Rails	10
Bollards Steel - Surface Mount	11
Bollards Steel - In-Ground	11
Wheel Stoppers	12
Speed Humps	13
Convex Mirrors	13
FRP Star Picket	13
Barrier Mesh	14
Spikes & Bolts	14
Cable Protectors	14
Wheel Chocks, Safety Triangles & First Aid Kit	15
Solar Lights & Delineator	15
Corflute Signage	16

ABOUT US

At Civil Products WA, we take immense pride in being your trusted partner for all your safety and civil equipment. With an extensive wealth of knowledge in traffic management, traffic control, and mining safety, we confidently position ourselves as a steadfast partner, addressing a wide spectrum of needs within the civil and construction sector.

With years of experience in the industry, our team of experts brings a wealth of knowledge and expertise to every project. Whether you are involved in large-scale infrastructure development, road construction, mining, or any civil engineering endeavour, we offer a comprehensive range of high-quality products that cater to your specific requirements.

We are more than just a supplier; we are your partners in progress. We are here to collaborate with you, offering tailored solutions and support to ensure the success of your projects. Our mission is to contribute to the growth and development of Western Australia's infrastructure while maintaining the highest standards of safety and sustainability.

RELIABLE CIVIL & SAFETY SOLUTIONS

Contact us below to request a quote on your product needs and requirements

(08) 9248 7313

- www.civilproductswa.com.au
- sales@civilproductswa.com.au
- 💡 68 Luisini Road, Wangara, WA 6065, Australia



TRAFFIC CONES

Our traffic cones are made of durable materials like PVC or rubber. They feature reflective strips for high visibility, are lightweight and stackable for easy transportation, and are sturdy enough to withstand impact. Their main benefits include enhancing safety, facilitating temporary traffic control, ensuring compliance with regulations, and offering versatility for various environments like construction sites and events.

Orange (Black base)

TRC-700 ORBLBWS	Traffic Cone 700mm Orange, Black Base with sleeve
TRC-700BLKBNS	Traffic Cone 700mm Orange, Black Base no sleeve
TRC-900ORBLKB	Traffic Cone 900mm Orange, Black Base with sleeve
TRC-1MTORBBWS	Traffic Cone 1000mm Orange, Black Base with sleeve
TRC-450ORBBLK	Traffic Cone 450mm Orange, Black Base with sleeve



Orange Base

TRC-700ORWF	Traffic Cone 700mm Orange, Orange Base with sleeve
TRC-700ORNSL	Traffic Cone 700mm Orange, Orange Base no sleeve
TRC-450ORWF	Traffic Cone 450mm Orange, Orange Base with sleeve



Various Colours (with sleeves)

TRC-700GRBLB	Traffic Cone 700mm Green, Black Base with sleeve
TRC-700BLU	Traffic Cone 700mm Blue, Black Base with sleeve
TRC-700YLBLB	Traffic Cone 700mm Yellow, Black Base with sleeve



Various Colours (no sleeves)

TRC-700GRNS	Traffic Cone 700mm Green, Black Base no sleeve	
TRC-700BLUNS	Traffic Cone 700mm Blue, Black Base no sleeve	
TRC-700YNS	Traffic Cone 700mm Yellow, Black Base no sleeve	
TRC-700WHBLNS	Traffic Cone 700mm White, Black Base no sleeve	



4-Sided Pyramid Safety Cones

Features 2x Chain hooks, 2x Rails for warning tape insert. It can be fixed to a cone top, reflective stickers are optional extras.

CP-PYRCONBLU	Pyramid Cone 745mm with 560mm base - Blue
CP-PYRCONRE	Pyramid Cone 745mm with 560mm base - Red
CP-PYRCONGR	Pyramid Cone 745mm with 560mm base - Green
CP-PYRCONOR	Pyramid Cone 745mm with 560mm base - Orange
CP-PYRCONWH	Pyramid Cone 745mm with 560mm base - White
CP-PYRCONYE	Pyramid Cone 745mm with 560mm base - Yellow



Cone Bars

CP-COBBWRE	Cone Bar PVC Retractable – Blue/White	
CP-COBRWRE	Cone Bar PVC Retractable - Red/White	
CP-COBYBRE	Cone Bar PVC Retractable - Yellow/Black	

T-TOP BOLLARDS

T-Tops are used in construction sites, events, or other areas where temporary redirection or guidance of pedestrian and vehicular traffic is needed. They are made from durable and weather-resistant plastic to withstand outdoor conditions and potential impact.

CP-BOB6	Bollard Base 6kg
CP-BOB8	Bollard Base 8kg
CP-BOLSTEM	Bollard T-Top Stem



FLEXI BOLLARDS

Our Flexi Bollards are made from durable materials such as high-density polyethene (HDPE) or rubber. These materials provide flexibility and resilience, allowing the bollards to bend upon impact and then return to their upright position.

CP-BOLFLEX	Bollard Flexible (PVC)	=
TRC-CP-BOSCRD75	Bolt Screw 10x75mm Red Tip	
CP-BOSCRD1020	Bolt Screw 10x120mm Red Tip	

BUNTING FLAGS & CHAINS

They are made from durable plastic materials, such as polyethene. They are lightweight, weather-resistant, and come in various colours. Our Plastic chains consist of interlocking links, creating a flexible but sturdy barrier.

CP-BUFLBLWH	Bunting Flag - Blue/White 30m	
CP-BUFLOR	Bunting Flag - Orange 30m	
CP-BUFLRWBL	Bunting Flag - Red/White/Black 30m	
CP-BUFLWH	Bunting Flag - White (Danger) 30m	
CP-BUFLY	Bunting Flag - Yellow (Caution) 30m	
CP-BUFLYLBL	Bunting Flag - Yellow/Black 30m	0
CP-CHPLREDWH	Chain - Plastic Red/White	15
CP-CHPLYEL	Chain - Plastic Yellow 8mm/25m	

MULTI-MESSAGE FRAME / SAND BAGS

Multi-Message Frame design allows for easy customisation by inserting different messages or signs as needed. Our Sandbags are made of woven polypropylene or other sturdy materials that can withstand exposure to the elements.. The sandbags would stabilise and secure the frame, ensuring it remains in place, especially in outdoor or changing environments.

CP-MMF-66	Multi Message Frame - 600x600
CP-MMF-123	Multi Message Frame – 1200x300
CP-MMF-96	Multi Message Frame – 900x600
CP-MMF-25	Multi Message Frame – 25mm 1270x940
CP-AFWF1080	Water-fillable A-Frame 680x1080
CP-AFRPC600	Black Powder-Coated A-Frame 600x50
CP-BIPL16LG	Bi-pod Leg D16 Round 1170x700
CP-BIPL18	Bi-pod Leg D18 Round 1170x700
CP-SANDBAG- YEL-AUS	Sand Bag Yellow



QUAD STAND

Designed for temporary applications, making it easy to set up and relocate as needed. Its portability allows for quick deployment and removal. Our stand offers durability to withstand outdoor conditions, including exposure to weather elements. Our Quad Stand's design is to allow the accommodation of different types of signage and can be used for various purposes where temporary and portable signage is required.

CP-QUADST 600	Quad Stand 600mm	CAUTION
CP-QUADST 900	Quad Stand 900mm	PROGRESS
CP-QUADST1200	Quad Stand 1200mm	

BARRIER BOARD

These are made of durable materials such as plastic, PVC, or similar substances, ensuring longevity and resistance to outdoor conditions. These are available in bright and highly visible colours such as orange, yellow, or red to attract attention and convey important messages effectively. The design of our barrier boards allows for easy portability, enabling quick deployment and repositioning as needed.

CP-BARBRD	Barrier Board 2.5m
CP-BARBRDLG	Barrier Board Leg (each)





STOP/SLOW BAT

The bat on this product has a handle for ease of use, allowing the traffic controller to hold and manipulate it easily to convey the appropriate signal. They are reflective or made with high-visibility materials to ensure that they can be easily seen during both daylight and nighttime conditions. These Stop/Slow Bat helps regulate the flow of vehicles for the safety of both drivers and workers.

SIG-S/S Bat Stop/Slow Bat (Complete with sign)

SIG-S/S WPWD Stop/Slow Post FRP (no sign)

CP-SIC Sign Cover for Stop/Slow Bat



Plastic Moulded Collar provides extra support for the sign and ergonomic grip



Optional Sign Cover prevents scratching of stop/slow sign during transportation



Plastic Base Cap prolongs life of FRP post



TORNADO GUIDE POSTS

Classified as a flexible road-side guide post the Tornado Posts (3mm) are manufactured in Australia from UV-stabilised,100% recyclable PVC. Manufactured from rigid and impact-stabilized PVC to ensure products return to their natural state after high-impact. Tornado Posts are classified as opaque white and are UV-stabilized for use in direct Australian sunlight. Vehicle Impact Tested according to AS1742.2-2009

CP-GUPWD-AUS Guide Post 1350mm White FI with Delineator

CP-GUPND-AUS Guide Post 1350mm White FI no Delineator

Cold Testing:

Tested at -5°C to 0°C

Returned to normal / straight after < 30 seconds Central 1.5Kg impact from 1.5m incurred no

damage

Heat Testing:

Tested at 55°C to 65°C

Returned to normal / straight after < 30 seconds Central 1.5Kg impact from 1.5m incurred no damage

Installation:

The Tornado Posts are to be installed by pre-digging, inserting the post and backfilling.

Designed for use in soft to moderate density ground, a manual driver and auger can be utilised.

Recommended minimum 400mm in ground depth.

RHS - 76x38 SIGN POSTS

CP-SIPY1.6	Sign Post Yellow 1.6m
CP-SIPY2.0	Sign Post Yellow 2.0m
CP-SIPY3.2	Sign Post Yellow 3.2m
CP-SIPY3.4	Sign Post Yellow 3.4m
CP-SIPY3.6	Sign Post Yellow 3.6m
CP-SIPY3.8	Sign Post Yellow 3.8m
CP-SIPY4.2	Sign Post Yellow 4.2m



FRP (FIBRE-REINFORCED PLASTIC) RHS - 76x38

FRP Offers strength and flexibility, capable of absorbing minor impacts without damage. It is lightweight design and offers easy installation. UV stabilized and fire-resistant properties ensure durability. The solid color remains intact, resisting rot, rust, fading, or peeling. Chemical and corrosion resistance makes it ideal for coastal and corrosive environments. Approved by Main Roads - suitable for various urban and rural areas. Specifically designed for Australian conditions.

FRP-REYEL-1.6	FRP Rectangle 76x38 Yellow 1.6m	
FRP-REYEL-2	FRP Rectangle 76x38 Yellow 2.0m	
FRP-REYEL-3.2	FRP Rectangle 76x38 Yellow 3.2m	100 100 100 100 100 100 100 100 100 100
FRP-REYEL-3.4	FRP Rectangle 76x38 Yellow 3.4m	
FRP-REYEL-3.6	FRP Rectangle 76x38 Yellow 3.6m	
FRP-REYEL-3.8	FRP Rectangle 76x38 Yellow 3.8m	
FRP-REYEL-4.2	FRP Rectangle 76x38 Yellow 4.2m	

ROUND STEEL POST

Our posts are made of steel, providing strength and durability. They are versatile and can be used for a variety of purposes, including supporting fences, road signs, traffic control devices, construction barriers, and more.

CP-ROP3.2	Round Post 3.2mt	
CP-ROP3.6	Round Post 3.6mt	Allo A
CP-ROPY3.2	Round Post Yellow 3.2mt	
CP-ROPY3.6	Round Post Yellow 3.6mt	The state of the s



FRP ROUND POST

Our FRP round posts are made from fibre-reinforced plastic, which is a composite material known for its high strength-toweight ratio, corrosion resistance, and durability. FRP round posts are suitable for applications in environments with high moisture, chemicals, or harsh weather conditions. They are generally lightweight which makes them easy to handle and transport, facilitating installation.

FRP-ROGR60-3.2 FRP Round Grey 60OD 3.2m

FRP-ROGR60-3.6 FRP Round Grey 60OD 3.6m

FRP-ROYEL60-3.2 FRP Round Yellow 60OD 3.2m

FRP-ROYEL60-3.6 FRP Round Yellow 60OD 3.6m



ARC BRACKETS

These brackets are designed to securely attach and support signage that has a channel on the back. They are made from durable and weather-resistant materials. These brackets offer a level of adjustability, allowing for proper alignment and positioning of the signage.

CP-BRARC60 Bracket ARC 60mm

CP-BRARC76 Bracket ARC 76mm

CP-BRARC76 Bracket ARC 89mm

CP-BRARC102 Bracket ARC 102mm

CP-BRARC114 Bracket ARC 114mm



TD1A / TD2A

These are lightweight in nature and resistant to corrosion.

CP-TD1A TD1A TD2A





BOLTS & WASHERS

These are fastening components used in various applications across different industries.

CP-BOLTCT1021	Bolt Cone Tip M10x21mm
CP-BOLTCT1025	Bolt Cone Tip M10x25mm
CP-BOASM8	Bolt Assembly M8
CP-BOASM10	Bolt Assembly M10
CP-SEW8	Security Washer 8mm
CP-SEW10	Security Washer 10mm



WEDGES

Our Wedges allows it to convert force applied at its thick end into a greater force perpendicular to its inclined surfaces.

CP-WELSLG Wedge Large Loc Socket

CP-WELSSM Wedge Small Loc Socket

L BRACKET & CATSBY BRACKET & UR251

CP-BRALL Bracket L Aluminium

CP-BRCAT Bracket Catsby

CP-BRB0251 Bracket & Bolt UR251 Stainless Steel







GRAB RAILS

The Powder coating provides a durable and tough finish that resists chipping, scratching, fading, and general wear and tear. Powder-coated grab rails are less prone to corrosion, making them suitable for installations in environments with high humidity, moisture, or exposure to outdoor elements.

CP-GRY600	Grab Rail Powder Coated Yellow 600mm
CP-GRY900	Grab Rail Powder Coated Yellow 900mm
CP-GRY1200	Grab Rail Powder Coated Yellow 1200mm
CP-GRY1500	Grab Rail Powder Coated Yellow 1500mm
CP-GRY1800	Grab Rail Powder Coated Yellow 1800mm

^{**} Code for striping option remains the same with an S prefixed.





BOLLARDS: POWDER-COATED STEEL - SURFACE MOUNTED

Our Surface Mounted Steel Bollard is made of steel, a durable and robust material commonly used for bollards due to its strength and impact resistance. The powder-coated finish enhances the bollard's resistance to weather elements, making. It is suitable for outdoor use in various environmental conditions and easier to maintain and clean compared to some other finishes.

CP-BOL102x1200SM	Bollard Steel 102x1200 Surface Mount	
CP-BOL115x1200SM	Bollard Steel 115x1200 Surface Mount	
CP-BOL140x1200SM	Bollard Steel 140x1200 Surface Mount	
CP-BOL165x1200SM	Bollard Steel 165x1200 Surface Mount	

- * Yellow / White Powder-coated with cap | Four fixing holes in base plate
- * Striping available at an extra cost

BOLLARDS: HOT-DIPPED GALVANISED - STEEL - SURFACE MOUNTED

This galvanized coating helps prevent corrosion and enhances the bollard's longevity, making it well-suited for outdoor applications. The hot-dip galvanized coating provides excellent protection against the elements, making the bollard highly resistant to corrosion, rust, and weathering. Our Bollards play a role in providing a visible barrier.

CP-BOL102x1200SM	Bollard Steel 102x1200 Surface Mount
CP-BOL115x1200SM	Bollard Steel 115x1200 Surface Mount
CP-BOL140x1200SM	Bollard Steel 140x1200 Surface Mount
CP-BOL165x1200SM	Bollard Steel 165x1200 Surface Mount



OPTIONS:

- * Galvanised with cap | Four fixing holes in base plate
- * Striping available at an extra cost

BOLLARDS: POWDER-COATED - STEEL- INGROUND

Our In-ground steel bollards are commonly used in various applications, including traffic management, perimeter protection, and enhancing safety in pedestrian areas. They offer impact resistance and are designed to withstand vehicle impacts or provide protective barriers.

CP-BOL102x1650IG	Bollard Steel 102x1650 In-Ground
CP-BOL114x1650IG	Bollard Steel 114x1650 In-Ground
CP-BOL140x1650IG	Bollard Steel 140x1650 In-Ground
CP-BOL165x1650IG	Bollard Steel 165x1650 In-Ground
CP-BOL219x2000IG	Bollard Steel 219x1650 In-Ground

- * Yellow / White Powder-coated with cap | Four fixing holes in base plate
- * Striping available at an extra cost



BOLLARDS: HOT-DIPPED GALVANISED STEEL - INGROUND

The hot-dip galvanized coating enhances the bollard's resistance to the elements, making it suitable for outdoor applications and providing long-term corrosion protection.

CP-BOL102x1650IG Bollard Steel 102x1650 In-Ground
CP-BOL114x1650IG Bollard Steel 114x1650 In-Ground
CP-BOL140x1650IG Bollard Steel 140x1650 In-Ground
CP-BOL165x1650IG Bollard Steel 165x1650 In-Ground



OPTIONS:

- * Galvanised with cap | Four fixing holes in base plate
- * Striping available at an extra cost

WHEEL STOPPERS - RUBBER

Our Rubber Wheel Stoppers are made from durable and impact-resistant rubber materials. They have reflective markings or strips embedded in the surface to enhance visibility, especially in low-light conditions. Despite their durability, our rubber wheel stoppers are relatively lightweight, making them easy to handle during installation or removal.

CP-WHST

Length: 1650mm | Height: 100mm | Width at Base: 160mm |

Weight: 13kgs | 3 fixing holes

CP-WHST 1800

Length: 1800mm | Height: 110mm | Width at Base: 160mm |

Weight: 15kgs | 4 fixing holes

8pcs yellow reflective chevron | Complies with AS2890.1

* Spikes and Bolts available for fixings



WHEEL STOPPERS - CONCRETE

Our Concrete Wheel Stoppers are made from precast concrete, which provides durability and resistance to environmental conditions. They are heavy, providing stability and resistance to movement once installed. Their weight helps keep them in place without additional anchoring. Concrete is naturally resistant to weather conditions, making our concrete wheel stoppers suitable for outdoor use.

CP-WHSTC Length:1650mm | 2 holes for fixings*

CP-WHSTC1950 Length:1950mm

CP-WHSTCT24 Length 2000mm | Width 200mm | Height 150mm

**40MPa Reinforced concrete | Cement P.042.5 | Complies with AS2890.1 Height: 100mm | Width at Base: 160mm





SPEED HUMPS

Our Speed Humps have a gradual incline and decline to provide a smoother transition for vehicles, minimising discomfort for drivers and passengers.

CP-SPHECBlack Speed Hump End Cap – 17x35x5 – Black

CP-SPHECYel Speed Hump End Cap – 17x35x5 – Yellow

CP-SPHMDBlack Speed Hump Middle Section - 25x35x5 - Black

CP-SPHMDYel Speed Hump Middle Section – 25x35x5 – Yellow



CONVEX MIRRORS

CP-MICVPL45 Mirror Convex PVC 45cm Diam.

CP-MICVPL60 Mirror Convex PVC 60cm Diam.

CP-MICV PL80 Mirror Convex PVC 80cm Diam.

CP-MICVST60 Mirror Convex Heavy Duty 60cm Diam.

CP-MICVST80 Mirror Convex Heavy Duty 80cm Diam.



FRP STAR PICKETS

Introducing .. the FRP Star Picket .A safer alternative to STEEL star pickets / Y Posts. The FRP Star Picket is made from FIBREGLASS-reinforced epoxy resin.

FRP-SP-1.65 Star Picket 1.65m Black

FRP-SP-1.8 Star Picket 1.8m Black



**Ideal guick install solution for electric fences.





- NON-CONDUCTIVE
- VERY STRONG
- LIGHTWEIGHT
- REUSABLE
- NON-CORROSIVE
- NON-STICK SURFACE
- COOL TO HANDLE
- ROT & ANT PROOF

BARRIER MESH

Our mesh design consists of an open structure with interwoven strands or grids, allowing for visibility while creating a physical barrier. Barrier mesh is lightweight and easy to handle, making it suitable for temporary installations and quick setup.

CP-BARMESH

Barrier Mesh 8kg 50m Roll

CP-SPCAPY/200

Star picket cap with 2 mesh hanging hooks



**8kg heavy duty orange barrier mesh fencing 50m roll - Designed to block off work zones and dangerous hazards. Take down, roll up and reused at the next job.





SPIKES & BOLTS

CP-SPI150	Spike 150mm	
CP-SPI300	Spike 300mm	11/11/
CP-BOSCRD75	Bolt Screw 10x75mm Red Tip	
CP-BOSCRD1020	Bolt Screw 10x120mm Red Tip	1:
CP-BOSCRD150	Bolt Screw 10x150mm Red Tip	

CABLE PROTECTORS

Our Cable Protectors are constructed from high-quality rubber compounds. The rubber material offers durability, flexibility, and resistance to impact. They include channels or tunnels that allow cables and hoses to pass through. These channels help organize and protect the cables from damage. They are designed to be weather-resistant, making them suitable for use in both indoor and outdoor environments.

CP-CABPR2	Cable Protector 2 Channel
CP-CABPR3	Cable Protector 3 Channel Heavy Duty
CP-CABPR5	Cable Protector 5 Channel



WHEEL CHOCKS, SAFETY TRIANGLES & FIRST AID KITS

Our Wheel Chocks are made of durable materials like rubber or hard plastic to provide stability and prevent slipping. Our Safety Triangles have reflective surfaces to enhance visibility during low-light conditions or nighttime.

CP-WHCHRM Wheel Chock Rubber 200x100x150

CP-SAFTRI Safety Triangle (3pcs/set) – Reflective High Visable

CP-SAFTRI First Aid Kit





SOLAR LIGHTS

Our Solar Lights are equipped with photovoltaic cells (solar panels) that convert sunlight into electricity during the day. This energy is stored in rechargeable batteries for use during the night. They are designed to be weather-resistant, and capable of withstanding exposure to rain, snow, and other environmental elements.



CP-SLFLAMB	Solar Light ABS Flash - Amber
CP-SLFLBL	Solar Light ABS Flash - Blue
CP-SLFLGR	Solar Light ABS Flash - Green
CP-SLFLR	Solar Light ABS Flash - Red
CP-SLFLWH	Solar Light ABS Flash - White
CP-SLSTAMB	Solar Light ABS Steady - Amber
CP-SLSTBLU	Solar Light ABS Steady - Blue
CP-SLSTGRN	Solar Light ABS Steady - Green
CP-SLSTRED	Solar Light ABS Steady - Red
CP-SLSTRW	Solar Light ABS Steady - Red/White
CP-SLSTWHITE	Solar Light ABS Steady - White

DELINEATOR

CP-DEL2	Delineator Two Side	
CP-DELA	Delineator Amber	
CP-DELB	Delineator Blue	
CP-DELR	Delineator Red	A A
CP-DELW	Delineator White	

SIGNAGE

CORFLUTE SIGNAGE

Class 1 Fluro Orange Reflective, Size: 600mm x 600mm x 5mm

Class 1 Yellow Reflective, Size: 600mm x 600mm x 5mm,

Class 1 White Reflective, Size: 600mm x 600mm x 5mm

Class 1 White & Yellow Reflective, Size: 1200mm x 300mm x 5mm

Class 1 White & Yellow Reflective, Size: 1200mm x 600mm x 5mm



**Full Signage Catalogue available on request

ROAD & TRAFFIC SIGNAGE

Warning Signs Federally Funded Series

Regulatory Signs Hazard Markers

Guide Signs Street Name Plates

Service Signs Truck Markers

Tourist Signs Temporary Roadwork Signs

Bicycle Route Markers Multi Message Signs

SAFETY SIGNAGE

Danger Signs Warning Signs

First Aid & Exit Signs Office & Carpark Signs

Protective Signs Fire Safety Signs

Prohibitory Signs Hazardous Goods Signs